



Certificate of Analysis
Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # PTW-0002
Batch Date: 2023-10-19
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001
Order Date: 2023-10-19
Sample # AAEZ042

Sampling Date: 2023-10-21
Lab Batch Date: 2023-10-21
Orig. Completion Date: 2023-11-08
Statement of Amendment: Updated Potency; Updated Photo

Initial Gross Weight: 100.571 g
Net Weight: 54.471 g

Number of Units: 1
Net Weight per Unit: 5447.100 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed

Potency 25 (LCUV)
Specimen Weight: 1527.900 mg

Tested
SOP13.002 (LCUV)



Potency Summary

| | |
|---|---|
| Total Active THC None Detected | Total Active CBD 0.007% 0.381 mg |
| Total CBG None Detected | Total CBN 0.003% 0.163 mg |
| Other Cannabinoids 0.188% 10.241 mg | Total Cannabinoids 0.198% 10.785 mg |

Pieces For Panel: 10

| Analyte | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | (%) |
|-----------------------|----------------|---------|---------|---------------|--------|
| Delta9-THCP * | 100.000 | 1.17E-5 | 0.012 | 1.8480 | 0.1848 |
| CBD | 10.000 | 5.40E-5 | 0.0015 | 0.0700 | 0.0070 |
| CBNA | 10.000 | 9.50E-5 | 0.0015 | 0.0361 | 0.0036 |
| Delta8-THCP * | 10.000 | 3.75E-4 | 0.0015 | 0.0260 | 0.0026 |
| CBC | 10.000 | 1.80E-5 | 0.0015 | <LOQ | <LOQ |
| CBCA | 10.000 | 1.07E-4 | 0.0015 | <LOQ | <LOQ |
| CBDA | 10.000 | 1.00E-5 | 0.0015 | <LOQ | <LOQ |
| CBDV | 10.000 | 6.50E-5 | 0.0015 | <LOQ | <LOQ |
| CBDVA | 10.000 | 1.40E-5 | 0.0015 | <LOQ | <LOQ |
| CBG | 10.000 | 2.48E-4 | 0.0015 | <LOQ | <LOQ |
| CBGA | 10.000 | 8.00E-5 | 0.0015 | <LOQ | <LOQ |
| CBL | 10.000 | 3.50E-5 | 0.0015 | <LOQ | <LOQ |
| CBN | 10.000 | 1.40E-5 | 0.0015 | <LOQ | <LOQ |
| CBT | 10.000 | 2.00E-4 | 0.0015 | <LOQ | <LOQ |
| Delta-8 THC | 100.000 | 2.60E-5 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 10.000 | 2.70E-5 | 0.003 | <LOQ | <LOQ |
| Delta-8 THCV | 10.000 | 4.00E-5 | 0.0015 | <LOQ | <LOQ |
| Delta-9 THC | 100.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 10.000 | 7.70E-5 | 0.003 | <LOQ | <LOQ |
| Exo-THC | 10.000 | 2.30E-4 | 0.0015 | <LOQ | <LOQ |
| THCA-A | 10.000 | 3.20E-5 | 0.0015 | <LOQ | <LOQ |
| THCB * | 10.000 | 1.80E-4 | 0.00195 | <LOQ | <LOQ |
| THCH * | 10.000 | 3.50E-4 | 0.00195 | <LOQ | <LOQ |
| THCV | 10.000 | 7.00E-6 | 0.0015 | <LOQ | <LOQ |
| THCVA | 10.000 | 4.70E-5 | 0.0015 | <LOQ | <LOQ |
| Total Active CBD | 10.000 | | | 0.070 | 0.007 |
| Total Active THC | 10.000 | | | <LOQ | <LOQ |

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K 4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # PTW-0002
Batch Date: 2023-10-19
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001
Order Date: 2023-10-19
Sample # AAEZ042

Sampling Date: 2023-10-21
Lab Batch Date: 2023-10-21
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 100.571 g
Net Weight: 54.471 g

Number of Units: 1
Net Weight per Unit: 5447.100 mg
Sampling Method: MSP 7.3.1

Total Yeast and Mold
Specimen Weight: 506.200 mg

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE
(MicroArray)

Passed
SOP13.019
(Micro Array)

Dilution Factor: 1.000

| Analyte | Action Level (cfu/g) | Result (cfu/g) | Remark |
|------------------|----------------------|----------------|--------|
| Total Yeast/Mold | 100000 | <LOQ | Passed |

| Analyte | Result (cfu/g) | Analyte | Result (cfu/g) |
|-----------------------|----------------|---------------------|----------------|
| Aspergillus flavus | Absence in 1g | Aspergillus terreus | Absence in 1g |
| Aspergillus fumigatus | Absence in 1g | Salmonella | Absence in 1g |
| Aspergillus niger | Absence in 1g | STEC E. Coli | Absence in 1g |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # PTW-0002
Batch Date: 2023-10-19
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001
Order Date: 2023-10-19
Sample # AAEZ042

Sampling Date: 2023-10-21
Lab Batch Date: 2023-10-21
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 100.571 g
Net Weight: 54.471 g

Number of Units: 1
Net Weight per Unit: 5447.100 mg
Sampling Method: MSP 7.3.1



Heavy Metals

Specimen Weight: 246.800 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 202

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83 | 100 | 1500 | <LOQ | Lead (Pb) | 11.76 | 100 | 500 | <LOQ |
| Cadmium (Cd) | .64 | 100 | 500 | <LOQ | Mercury (Hg) | .58 | 100 | 3000 | <LOQ |



Mycotoxins

Specimen Weight: 613.400 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.450

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6 | 20 | <LOQ | Aflatoxin G2 | 2.7100E-1 | 6 | 20 | <LOQ |
| Aflatoxin B2 | 7.7000E-2 | 6 | 20 | <LOQ | Ochratoxin A | 7.5400E-1 | 3.8 | 20 | <LOQ |
| Aflatoxin G1 | 3.0400E-1 | 6 | 20 | <LOQ | | | | | |



Residual Solvents - FL (CBD)

Specimen Weight: 12.500 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094 | 0.16 | 8 | <LOQ | Heptane | 0.0013 | 1.39 | 5000 | <LOQ |
| 1,2-Dichloroethene | 0.0003 | 0.04 | 5 | <LOQ | Hexane | 0.068 | 1.17 | 290 | <LOQ |
| Acetone | 0.015 | 2.08 | 5000 | <LOQ | Isopropyl alcohol | 0.0048 | 1.39 | 500 | <LOQ |
| Acetonitrile | 0.06 | 1.17 | 410 | <LOQ | Methanol | 0.0005 | 0.69 | 3000 | <LOQ |
| Benzene | 0.0002 | 0.02 | 2 | <LOQ | Methylene chloride | 0.0029 | 2.43 | 600 | <LOQ |
| Butanes | 0.4167 | 2.5 | 2000 | <LOQ | Pentane | 0.037 | 2.08 | 5000 | <LOQ |
| Chloroform | 0.0001 | 0.04 | 60 | <LOQ | Propane | 0.031 | 5.83 | 2100 | <LOQ |
| Ethanol | 0.0021 | 2.78 | 5000 | <LOQ | Toluene | 0.0009 | 2.92 | 890 | <LOQ |
| Ethyl Acetate | 0.0012 | 1.11 | 5000 | <LOQ | Total Xylenes | 0.0001 | 2.92 | 2170 | <LOQ |
| Ethyl Ether | 0.0049 | 1.39 | 5000 | <LOQ | Trichloroethylene | 0.0014 | 0.49 | 80 | <LOQ |
| Ethylene Oxide | 0.0038 | 0.1 | 5 | <LOQ | | | | | |

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # PTW-0002
Batch Date: 2023-10-19
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001
Order Date: 2023-10-19
Sample # AAEZ042

Sampling Date: 2023-10-21
Lab Batch Date: 2023-10-21
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 100.571 g
Net Weight: 54.471 g

Number of Units: 1
Net Weight per Unit: 5447.100 mg
Sampling Method: MSP 7.3.1

Pesticides

Specimen Weight: 613.400 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.450

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|-----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin | 2.8800E-1 | 28.23 | 300 | <LOQ | Fludioxonil | 1.7400E+0 | 48 | 3000 | <LOQ |
| Acephate | 2.3000E-2 | 30 | 3000 | <LOQ | Hexythiazox | 4.9000E-2 | 30 | 2000 | <LOQ |
| Acequinocyl | 9.5640E+0 | 48 | 2000 | <LOQ | Imazalil | 2.4800E-1 | 30 | 100 | <LOQ |
| Acetamiprid | 5.2000E-2 | 30 | 3000 | <LOQ | Imidacloprid | 9.4000E-2 | 30 | 3000 | <LOQ |
| Aldicarb | 2.6000E-2 | 30 | 100 | <LOQ | Kresoxim Methyl | 4.2000E-2 | 30 | 1000 | <LOQ |
| Azoxystrobin | 8.1000E-2 | 10 | 3000 | <LOQ | Malathion | 8.2000E-2 | 30 | 2000 | <LOQ |
| Bifenazate | 1.4150E+0 | 30 | 3000 | <LOQ | Metalaxyl | 8.1000E-2 | 10 | 3000 | <LOQ |
| Bifenthrin | 4.3000E-2 | 30 | 500 | <LOQ | Methiocarb | 3.2000E-2 | 30 | 100 | <LOQ |
| Boscalid | 5.5000E-2 | 10 | 3000 | <LOQ | Methomyl | 2.2000E-2 | 30 | 100 | <LOQ |
| Captan | 6.1200E+0 | 30 | 3000 | <LOQ | methyl-Parathion | 1.7100E+0 | 10 | 100 | <LOQ |
| Carbaryl | 2.2000E-2 | 10 | 500 | <LOQ | Mevinphos | 2.1500E+0 | 10 | 100 | <LOQ |
| Carbofuran | 3.4000E-2 | 10 | 100 | <LOQ | Myclobutanil | 1.0290E+0 | 30 | 3000 | <LOQ |
| Chlorantraniliprole | 3.3000E-2 | 10 | 3000 | <LOQ | Naled | 9.5000E-2 | 30 | 500 | <LOQ |
| Chlordane | 1.0000E+1 | 10 | 100 | <LOQ | Oxamyl | 2.5000E-2 | 30 | 500 | <LOQ |
| Chlorfenapyr | 3.4000E-2 | 30 | 100 | <LOQ | Paclobutrazol | 6.5000E-2 | 30 | 100 | <LOQ |
| Chloromequat Chloride | 1.0800E-1 | 10 | 3000 | <LOQ | Pentachloronitrobenzene | 1.3200E+0 | 10 | 200 | <LOQ |
| Chlorpyrifos | 3.5000E-2 | 30 | 100 | <LOQ | Permethrin | 3.4300E-1 | 30 | 1000 | <LOQ |
| Clofentezine | 1.1900E-1 | 30 | 500 | <LOQ | Phosmet | 8.2000E-2 | 30 | 200 | <LOQ |
| Coumaphos | 3.7700E+0 | 48 | 100 | <LOQ | Piperonylbutoxide | 2.9000E-2 | 30 | 3000 | <LOQ |
| Cyfluthrin | 3.1100E+0 | 30 | 1000 | <LOQ | Prallethrin | 7.9800E-1 | 30 | 400 | <LOQ |
| Cypermethrin | 1.4490E+0 | 30 | 1000 | <LOQ | Propiconazole | 7.0000E-2 | 30 | 1000 | <LOQ |
| Daminozide | 8.8500E-1 | 30 | 100 | <LOQ | Propoxur | 4.6000E-2 | 30 | 100 | <LOQ |
| Diazinon | 4.4000E-2 | 30 | 200 | <LOQ | Pyrethrins | 2.3593E+1 | 30 | 1000 | <LOQ |
| Dichlorvos | 2.1820E+0 | 30 | 100 | <LOQ | Pyridaben | 3.2000E-2 | 30 | 3000 | <LOQ |
| Dimethoate | 2.1000E-2 | 30 | 100 | <LOQ | Spinetoram | 8.0000E-2 | 10 | 3000 | <LOQ |
| Dimethomorph | 5.8300E+0 | 48 | 3000 | <LOQ | Spinosad | 8.8000E-2 | 30 | 3000 | <LOQ |
| Ethoprophos | 3.6000E-1 | 30 | 100 | <LOQ | Spiromesifen | 2.6100E-1 | 30 | 3000 | <LOQ |
| Etofenprox | 1.1600E-1 | 30 | 100 | <LOQ | Spirotetramat | 8.9000E-2 | 30 | 3000 | <LOQ |
| Etoxazole | 9.5000E-2 | 30 | 1500 | <LOQ | Spiroxamine | 1.3100E-1 | 30 | 100 | <LOQ |
| Fenhexamid | 5.1000E-1 | 10 | 3000 | <LOQ | Tebuconazole | 6.7000E-2 | 30 | 1000 | <LOQ |
| Fenoxycarb | 1.0700E-1 | 30 | 100 | <LOQ | Thiacloprid | 6.4000E-2 | 30 | 100 | <LOQ |
| Fenpyroximate | 1.3800E-1 | 30 | 2000 | <LOQ | Thiamethoxam | 5.0000E-2 | 30 | 1000 | <LOQ |
| Fipronil | 1.0700E-1 | 30 | 100 | <LOQ | Trifloxystrobin | 3.7000E-2 | 30 | 3000 | <LOQ |
| Fonicamid | 5.1700E-1 | 30 | 2000 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

